SEQUENCE LISTING

<110>	Yang, Yeasing Burrell, Terrie	
	Compositions and Methods for Detecting an Immunodeficiency Virus 2 (HIV-2)	
<130>	GP117-03.UT	
	60/242,620 2000-10-23	
	60/280,058 2001-03-30	
<160>	34	
<170>	FastSEQ for Windows Version 3.0	
<210> <211> <212> <213>	40 DNA	
<400> gtgtgtgttc		4 C
<210> <211> <212> <213>	19	
<400> gtgtgtgttc		19
<210> <211> <212> <213>	20	
<400> tgtgttccca t		20
<210> <211> <212> <213>	21 DNA	
<400> gttcccatct o		21
<210> <211> <212> <213>	20 DNA	
<400> tcctagtcgc c		20
<210> <211>		

<212> DNA <213> HIV-2	
<400> 6 cctagtcgcc gcctggtca	19
<210> 7 <211> 20 <212> DNA <213> HIV-2	
<400> 7 tagtcgccgc ctggtcattc	20
<210> 8 <211> 34 <212> DNA <213> HIV-2	
<400> 8 aaaatcccta gcaggttggc gcccgaacag ggac	34
<210> 9 <211> 34 <212> DNA <213> HIV-2	
<400> 9 gtccctgttc gggcgccaac ctgctaggga tttt	34
<210> 10 <211> 25 <212> DNA <213> HIV-2	
<400> 10 cgggcgccaa cctgctaggg atttt	25
<210> 11 <211> 18 <212> DNA <213> HIV-2	
<400> 11 gtccctgttc gggcgcca	18
<210> 12 <211> 23 <212> DNA <213> Artificial Sequence	
<220> <223> Primer mismatches HIV-2 sequence by deletion of two nucleotides and mutation at a third position	
<400> 12 cgggcgccac tgctagagat ttt	23
<210> 13 <211> 24 <212> DNA <213> Artificial Sequence	
<220>	

	one nucleotide	niv-2 sequence by defection of	
	<400> 13 cgggcgccac ctgctaggga tttt		24
	<210> 14 <211> 25 <212> DNA <213> HIV-2		
	<400> 14 ccctgttcgg gcgccaacct gctag	•	25
	<210> 15 <211> 52 <212> DNA <213> Artificial Sequence	ce .	
<u>.</u>	<220> <223> T7 promoter primer appended at the 5' primer sequence	having a promoter sequence end of an HIV-2 complementary	
	<400> 15		
	aatttaatac gactcactat agggagac	egg gegeeaacet getagggatt tt	52
	<210> 16 <211> 45 <212> DNA <213> Artificial Sequenc	ce	
		having a promoter sequence end of an HIV-2 complementary	
	<400> 16		4.5
ali.	aatttaatac gactcactat agggagag	tc cctgttcggg cgcca	45
	<210> 17 <211> 50 <212> DNA <213> Artificial Sequence	ce	
	<220> <223> T7 promoter primer appended at the 5' SEQ ID NO:12	having a promoter sequence end of the sequence given as	
	<400> 17 aatttaatac gactcactat agggagac	egg gcgccactgc tagagatttt	50
	<210> 18 <211> 57 <212> DNA <213> Artificial Sequenc	ee	
	<220> <223> T7 promoter primer appended at the 5' SEQ ID NO:13	having a promoter sequence end of the sequence given as	
	<400> 18	·	

	<211> 16 <212> DNA <213> HIV-2					
gtctg	<400> 26 ttagg accett					16
	<210> 27 <211> 18 <212> DNA <213> HIV-2	·				
gtctg	<400> 27 ttagg accettet					18
	<210> 28 <211> 27 <212> DNA <213> HIV-2					
aattt	<400> 28 aatac gactcactat	agggaga				27
	<210> 29 <211> 33 <212> DNA <213> HIV-2					
gaaat	<400> 29 taata cgactcacta	tagggagacc	aca			33
	<210> 30 <211> 30 <212> RNA <213> HIV-2					
gaagg	<400> 30 guccu aacagaccag	ggucuuguua				30
	<210> 31 <211> 53 <212> DNA <213> HIV-2					
ttcct	<400> 31 gccgc ccttactgcc	tttaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaa	53
	<210> 32 <211> 51 <212> DNA <213> HIV-2					
ttcct	<400> 32 gccgc ccttactgtt	taaaaaaaaa	aaaaaaaaa	aaaaaaaaa	a	51
	<210> 33 <211> 16 <212> DNA <213> HIV-2					
aaagg	<400> 33 gtcct aacaga					16
	<210> 34					

<211> 9 <212> DNA <213> HIV-2

<400> 34 cgggcgcca

9

US 1000140703P1



Creation date: 01-21-2004

Indexing Officer: HNGUYEN13 - HIEU NGUYEN

Team: OIPEBackFileIndexing

Dossier: 10001407

Legal Date: 12-12-2001

No.	Doccode	Number of pages
1	CRFL	6

Total number of pages: 6

Remarks:

Order of re-scan issued on